

L Number	Hits	Search Text	DB	Time stamp
-	37	(paul near3 powell).inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 10:41
-	18	5581766.pn. or 5727213.pn. or 5692190.pn. or 5463766.pn. or 5732266.pn. 6085318.pn. or 5951684.pn. or 6208326.pn. or 5325532.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 11:44
-	365	symlink or (symbolic adj2 link)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:53
-	126	(symlink or (symbolic adj2 link)) near3 file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:12
-	2	(symlink or (symbolic adj2 link)) near5 configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:27
-	18	(symlink or (symbolic adj2 link)) near5 chang\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:54
-	23	(symlink or (symbolic adj2 link)) same resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:28
-	19	(symlink or (symbolic adj2 link)) same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:39
-	0	rom same symlink same resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:39
-	1	rom same symlink	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:40
-	99	rom same alias	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:41
-	0	rom same alias same resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:47
-	6	cdrom same alias	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:40

-	2	rom same alias near5 file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:41
-	3	rom same alias same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:51
-	1	(symlink or (symbolic adj2 link)) same dynamically near5 set\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:52
-	2	(symlink or (symbolic adj2 link)) same dynamic\$4 near5 set\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:54
-	495	symlink\$1 or (symbolic adj2 link\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:54
-	2	(symlink\$1 or (symbolic adj2 link\$1)) same dynamic\$4 near5 set\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:57
-	24	(symlink\$1 or (symbolic adj2 link\$1)) near5 chang\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:55
-	22	(symlink\$1 or (symbolic adj2 link\$1)) same dynamic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:16
-	9	(symlink\$1 or (symbolic adj2 link\$1)) near5 generat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:17
-	8	(symlink\$1 or (symbolic adj2 link\$1)) near5 configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:29
-	8	(symlink\$1 or (symbolic adj2 link\$1)) same rom	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:29
-	1	(symlink\$1 or (symbolic adj2 link\$1)) near5 set\$4 near8 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:05
-	14	(symlink\$1 or (symbolic adj2 link\$1)) near5 set\$4 same files	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:11
-	0	(symlink\$1 or (symbolic adj2 link\$1)) near5 set\$4 same drivers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:11

-	37	(symlink\$1 or (symbolic adj2 link\$1)) near5 set\$4 same file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:11
-	14	(symlink\$1 or (symbolic adj2 link\$1)) near5 set\$4 near8 file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:14
-	1	(symlink\$1 or (symbolic adj2 link\$1)) same detect\$3 near8 hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:15
-	3	(symlink\$1 or (symbolic adj2 link\$1)) same detect\$3 near8 configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:16
-	2	(symlink\$1 or (symbolic adj2 link\$1)) same configur\$5 near5 hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:16
-	0	(symlink\$1 or (symbolic adj2 link\$1)) same configur\$5 near5 components	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:16
-	4	(symlink\$1 or (symbolic adj2 link\$1)) same configur\$5 near5 component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:18
-	61	(symlink\$1 or (symbolic adj2 link\$1)) same configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 12:36
-	1	(hipp near3 burton).inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 11:25
-	13	boot\$3 same cdrom same ram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:32
-	5986	boot\$3 same rom	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:35
-	3912	boot\$3 near8 rom	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:35
-	11851	detect\$3 near5 hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:43
-	66	(detect\$3 near5 hardware) same (symlinks or links)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:42

-	1	(boot\$3 near8 rom) and ((detect\$3 near5 hardware) same (symlinks or links))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:40
-	15	boot\$3 and ((detect\$3 near5 hardware) same (symlinks or links))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:40
-	0	(detect\$3 near5 hardware) same (symlinks or (symbolic adj2 links))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:43
-	1	(detect\$3 near5 hardware) same (symlink or (symbolic adj2 link))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:43
-	28553	configur\$5 near5 hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:43
-	2	(configur\$5 near5 hardware) same (symlink\$1 or (symbolic adj2 link\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:47
-	0	((configur\$5 near5 hardware) same (symlink\$1 or (symbolic adj2 link\$1))) same components	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:45
-	1	((configur\$5 near5 hardware) same (symlink\$1 or (symbolic adj2 link\$1))) same component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:45
-	0	((configur\$5 near5 hardware) same (symlink\$1 or (symbolic adj2 link\$1))) same devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:46
-	1	((configur\$5 near5 hardware) same (symlink\$1 or (symbolic adj2 link\$1))) same device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:46
-	2	((configur\$5 near5 hardware) same (symlink\$1 or (symbolic adj2 link\$1))) same configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:46
-	0	((configur\$5 near5 hardware) same (symlink\$1 or (symbolic adj2 link\$1))) same setup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:46
-	495	symlink\$1 or (symbolic adj2 link\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:47
-	2	(symlink\$1 or (symbolic adj2 link\$1)) same (configur\$5 near5 hardware)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:49

-	27	(symlink\$1 or (symbolic adj2 link\$1)) same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:47
-	111	(symlink\$1 or (symbolic adj2 link\$1)) and (configur\$5 near5 hardware)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 13:50
-	25	((symlink\$1 or (symbolic adj2 link\$1)) and (configur\$5 near5 hardware)) and boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:43
-	339	set\$4 near5 environment adj2 variable\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:47
-	71	(set\$4 near5 environment adj2 variable\$1) same configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:44
-	2	((set\$4 near5 environment adj2 variable\$1) same configur\$5) same boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:47
-	32	((set\$4 near5 environment adj2 variable\$1) same configur\$5) and boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:45
-	160	set\$4 near5 configuration adj2 variable\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:47
-	2	(set\$4 near5 configuration adj2 variable\$1) same boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:49
-	24	(set\$4 near5 configuration adj2 variable\$1) and boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 15:46
-	14	boot\$3 same access\$4 near5 configur\$5 near5 hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 15:49
-	500	boot\$3 same access\$4 near5 configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 15:49
-	48	rom with boot\$3 same access\$4 near5 configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 15:49
-	0	boot\$3 near5 cdrom same determin\$3 near5 configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 10:41

-	36	boot\$3 near5 cdrom	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 10:42
-	54591	determin\$3 near5 configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 10:42
-	16	(boot\$3 near5 cdrom) and (determin\$3 near5 configur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 10:42
-	60	symlink\$1 or (symbolic adj2 link\$1) near8 xserver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:28
-	3	(symlink\$1 or (symbolic adj2 link\$1) near8 xserver) same (video or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:28
-	59	symlink\$1 or (symbolic adj2 link\$1) near5 xserver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:30
-	1	(symlink\$1 or (symbolic adj2 link\$1)) near5 xserver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:30
-	2	(symlink\$1 or (symbolic adj2 link\$1)) same xserver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:30
-	3	(symlink\$1 or (symbolic adj2 link\$1)) and xserver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:31
-	32	xserver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:31
-	2	select\$3 near5 xserver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:31
-	24	xserver same (video or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:32
-	361	set\$3 near5 link\$1 near8 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 09:45
-	20	set\$3 near5 link\$1 near8 configuration near5 select\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 09:48

-	1	set\$3 near5 symlink\$1 near8 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 09:48
---	---	---	---	---------------------